

Issued Date: January 1, 2024

SECTION I PRODUCT AND COMPANY IDENTIFICATION

Product Identifiers

Product Name: Birdzout Repellent Gel

EPA Registration No.: 8254-5-56 Product Code: BZ-BPG

Synonyms: Polybutene Bird Proof Gel, Bird Repellent Gel

Product Type:

Repellent for birds Recommended Uses:

Details of the Supplier of the Safety Data Sheet Supplier Name:

Maintrac Group Ltd T/A Birdzout

Supplier Address 90 Palmerston Street Westport 7825

Website: www.birdzout.com E-mail: hello@birdzout.com

Company Phone Number: +64 3 789 6047

SECTION II HAZARDS IDENTIFICATION

Hazardous substance according to the HSNO Act 1996 Hazardous Substances (Classification) Notice 2017. Approval: HSR002670

Hazard Classifications 6.1E (aspiration), 6.3A

Hazard pictograms



Signal Word : Danger

Hazard statements : Cause skin irritation.

May be fatal if swallowed or enters airways. **Precautionary statements** Prevention Response

: Wear protective gloves. Wash hands thoroughly after handling.

: IF SWALLOWED: Immediately call a POISON CENTER or physician. Do NOT induce vomiting.

: IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing. Wash contaminated

clothing before use. If skin irritation occurs: Get medical attention.

Storage : Store locked up.

Disposal : Dispose of contents and container in accordance with all local, regional, national and international

Regulations.

Hazards not : None known. otherwise Classified

SECTION III COMPOSITION ON INGREDIENTS

Substance/mixture : Mixture Other means of : Polybutene

identification

CAS number/other identifiers

Not applicable CAS number Product code **BZ-BPG**

Chemical Name	Cas No.	Weight-%
Butene, homopolymer	9003-29-6	60-100

Any concentration shown as a range is to protect confidentiality or is due to batch variation.



Issued Date: January 1, 2024

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

SECTION IV FIRST AID MEASURES

Inhalation:

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway.

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 20 minutes. Get medical attention.

Skin Contact:

Flush contaminated skin with plenty of water. Continue to rinse for at least 20 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Get medical attention immediately. Call a poison center or physician. Was out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Aspiration hazard if swallowed. Can enter lungs and cause damage. Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway.

Most important symptoms and effects, both acute and delayed:

Potential acute health effects

Eye Contact Causes serious eye irritation.

Inhalation No known significant effects or critical hazards.

Skin Contact Causes skin irritation

May be fatal if swallowed and enters airways. Irritating to mouth, throat and Ingestion

Over-exposure signs/

symptoms Eye Contact Adverse symptoms may include the following:

Pain or irritation Watering

Redness

Inhalation No known significant effects or critical hazards. **Skin Contact** Adverse symptoms may include the following:

> Irritation Redness

Ingestion Adverse symptoms may include the following:

Nausea or vomiting

Indication of any immediate medical attention and special treatment needed:

Note to physician Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

Specific treatments

Protection of first-No action shall be taken involving any personal risk or without suitable training. It may be aiders

dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See Toxicological information (Section 11)

SECTION V FIRE-FIGHTING MEASURE



Issued Date: January 1, 2024

Extinguishing Media

Use an extinguishing agent suitable for the surrounding fire. Suitable extinguishing

media

Unsuitable extinguishing None known.

media

Specific hazards arising No specific fire or explosion hazard.

from the chemical Hazardous thermal

Decomposition products may include the following materials:

decomposition products

Carbon dioxide Carbon monoxide

Special protective actions

No special measures are required.

Special protective

Fire-fighters should wear appropriate protective equipment and self-contained breathing

equipment for fire-fighters

apparatus (SCBA) with a full face-piece operated in positive pressure mode.

SECTION VI ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel:

Avoid breathing vapor or mist. Provide adequate ventilation.

Wear appropriate respirator when ventilation is inadequate.

Put on appropriate personal protective equipment.

For emergency responders:

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.

See also the information in "For non-emergency personnel.

Environmental Precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and Material for Containment and Cleaning Up

Spill:

Stop leak if without risk.

Move containers from spill area.

Approach release from upwind.

Prevent entry into sewers, water courses, basements or confined areas.

Wash spillages into an effluent treatment plant or proceed as follows.

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13).

Dispose of via a licensed waste disposal contractor.

Contaminated absorbent material may pose the same hazard as the spilled product.

Note: See Section 1 for emergency contact information and Section 13 for waste disposal.

SECTION VII HANDLING AND STORAGE

Precautions for safe handling:

Protective measures: Put on appropriate personal protective equipment (see Section 8).

Do not swallow.

Avoid contact with eyes, skin and clothing.

Avoid breathing vapor or mist.

Keep in the original container or an approved alternative made from compatible material,

kept tightly closed when not in use.

Empty containers retain product residue and can be hazardous.

Do no reuse container.

Eating, drinking and smoking should be prohibited in areas where this material is handled, Advice on general

occupational hygiene: stored and processed.

Workers should wash hands and face before eating, drinking and smoking.

See also Section 8 for additional information on hygiene measures.

Conditions for safe storage,

including an incompatibilities: Store in accordance with local regulations.

Store in original container protected from sunlight in a dry, cool and well-ventilated area,

away from incompatible materials (see Section 10) and food and drink.

Store locked up.

Keep container tightly closed and sealed until ready for use.

Containers that have been opened must be carefully resealed and kept upright to prevent

leakage.



Issued Date: January 1, 2024

Do not store in unlabeled containers.

Use appropriate containment to avoid environmental contamination.

SECTION VIII EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters Occupational exposure limits:

Engineering Controls

Environmental exposure controls:

Individual protection

measures:

None.

Good general ventilation should be sufficient to control worker exposure to airborne

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

Eye/Face Protection:

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or

Skin Protection:

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Body Protection:

Personal protective equipment, appropriate footwear and any additional skin protection measures for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory Protection:

Use a properly fitted, air-purifying or supplied air respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

SECTION IX PHYSICAL AND CHEMICAL PROPERTIES

Appearance Physical State: Odor Liquid. [Gel] Odor: Petroleum [Slight] Threshold: pH: Not available Color: Colorless **Boiling Point:** Not available **Melting Point:** Not available

Flash Point: Closed cup:>192.22°C (>378° Not available

F) [Pensky-Martens.]

(solid, gas): Not available Lower and upper Negligible Flammability: Not available

Vapor Pressure: Not available

(flammable) limits: **Vapor Density:**

Evap. Rate:

explosive

Partition Coefficient: Decomp

Temp: Viscosity:

Not available Not available Not available Not available

Relative Density: Solubility Auto-ignition Temp:

<1% Not available

.89

SECTION X STABILITY AND REACTIVITY

Reactivity:	No specific test data related to reactivity for this product or its ingredients.		
Chemical Stability:	The product is stable.		
Possibility of hazardous	Under normal conditions of storage and use, hazardous reactions will not occur.		
reactions:			
Conditions to avoid:	No specific data.		
Materials to avoid:	Reactive or incompatible with the following materials: oxidizing materials.		
Hazardous Decomposition:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.		

SECTION XI TOXICOLOGICAL INFORMATION

Information on toxicological effects:

Acute Toxicity: There is no data available. Corrosion/Irritation: There is no data available. Sensitization: There is no data available. Carcinogenicity: There is no data available.

Specific Target Organ Toxicity - Single Exposure: No data available. Specific Target Organ Toxicity - Repeated Exposure: No data available.



Issued Date: January 1, 2024

Name	Result		
Butene, homopolymer	ASPIRATION HAZARD, category 1		

Information on the likely routes of exposure: Dermal contact. Eye contact. Inhalation.

Potential acute health effects:

Eve contact: Causes serious eye irritation.

Inhalation: No known significant effects or critical hazards.

Skin contact: Causes skin irritation.

Ingestion: May be fatal if swallowed and enters airways. Irritating to mouth, throat and stomach.

Symptoms related to the physical, chemical and toxicological characteristics:

Eye contact: Adverse symptoms may include the following:

Pain or irritation Watering Redness

Inhalation : No known significant effects or critical hazards.

Skin contact : Adverse symptoms may include the following:

Irritation Redness

Ingestion: Adverse symptoms may include the following:

Nausea or vomiting

Delayed and immediate effects and also chronic effects from short and long term exposure:

Short term exposure

Potential immediate effects: No known significant effects or critical hazards

Potential delayed effects: No known significant effects or critical hazards

Long term exposure

Potential immediate effects: No known significant effects or critical hazards

Potential delayed effects: No known significant effects or critical hazards

Potential chronic health effects:

General: No known significant effects or critical hazards
Carcinogenicity: No known significant effects or critical hazards
Mutagenicity: No known significant effects or critical hazards
Teratogenicity: No known significant effects or critical hazards
Developmental effects: No known significant effects or critical hazards
Fertility effects: No known significant effects or critical hazards

: No known significant effects or critical hazards

Numerical measures of toxicity

Acute toxicity estimates : There is no data available.

SECTION XII ECOLOGICAL INFORMATION

Toxicity:

There is no data available.

Persistence and Degradability:

There is no data available.

Bioaccumulative potential:

Product/ingredient name	LogPow	BCF	Potential	
Butene, homopolymer	7.6 to7.8	314 to 1882	high	

Mobility in Soil: Soil/water partition

Coefficient (Koc) : There is no data available.

Other adverse effects : No known significant effects or critical hazards

SECTION XIII DISPOSAL CONSIDERATIONS

Disposal methods:



Issued Date: January 1, 2024

The generation of waster should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contactor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasibly. The material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION XIV TRANSPORT INFORMATION

Agency	Proper Shipping Name	<u>UN</u> Number	<u>Hazard</u> <u>Class</u>	Packing Group	Environmental hazards	Additional information
DOT	-	Not regulated	-	-	No	-
IATA	-	Not regulated	-	-	No	-
IMDG	-	Not regulated	-	-	No	-

AERG: Not applicable **Special precautions for user**

: Transport within user's premises: Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of MARPOL 73/78 and The IBC Code

: Not available

SECTION XV REGULATORY INFORMATION

HSNO Act 1996

Approval Code: HSR002670;

Surface Coatings and Colorants (Subsidiary Hazard (Group Standard 2017)

Classifications: 6.1E (aspiration), 6.3A.

Controls: Refer to www.epa.govt.nz for information on Controls.

Additional Controls under Regulation 77a: -

Statements (consumer product):

Read label before use; Keep out of reach of children; If medical advice is needed, have product containers or label at hand.

Hazard statements:

H304 May be fatal if swallowed and enters airways H315 Causes skin irritation.

Precautionary statements:

Prevention: P102 Keep out of reach of children

P103 Read label before use

P264 Wash hands thoroughly after handling

P280 Wear protective gloves

Response:

P101 If medical advice is needed, have product container or label at hand. P301 + P310 IF SWALLOWED: Immediately call a POISON CENTRE or doctor.

P331 Do NOT induce vomiting.

Storage: P405 Store locked up.

Disposal: P501 Dispose of product and container in accordance with local regulations

ACVM Act 1997

Registration Number: Not applicable (exempt).



Name	%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
Butene, homopolymer	60-100	No	No	No	Yes	No

SECTION XVI OTHER INFORMATION

Disclaimer:

The data in this Safety Data Sheet relates only to the specific material designated herein and does not relate to use in combination with any other material in any process. The information set forth herein is furnished free of charge and is based on technical data that we believe to be reliable. It is intended for use by persons having technical skill and at their own discretion and risk. Since conditions of use are outside of our control, Maintrac Group Ltd makes no warranties, expressed or implied, and assumes no liability in connection with any use of this information. Nothing herein is to be taken as a license to operate under, or a recommendation to infringe upon, any patents.

Abbreviations:

ACVM Agricultural Compounds and Veterinary Medicines

ECHA European Chemical Agency

EPA New Zealand Environmental Protection
GHS Authority Global Harmonised System
HSIS Hazardous Substance Information System
HSNO Hazardous Substances and New Organisms
NZIOC New Zealand Inventory of Chemicals

STEL Short Term Exposure Limit (15 minute exposure TWA period) Time-Weighted Average (8 hours exposure

WES period) Workplace Exposure Standard

References:

EPA www.epa.govt.nz Supplier information and SDS Worksafe NZ www.worksafe.govt.nz